

References

- [1] M. Klonz, "Current Developments in accurate ac-dc transfer measurements," *IEEE Trans. Instrum. Meas.*, Vol. 44, No. 2, pp. 363-366, 1995.
- [2] B. D. Inglis, "Standards for ac-dc transfer," *Metrologia*, vol. 29, pp. 191-199, 1992.
- [3] B. N. Taylor and T. J. Witt, "New international electrical reference standards based on the Josephson and quantum Hall effect," *Metrologia*, vol. 26, pp. 47-62, 1989.
- [4] C. A. Hamilton, F. F. Lloyd, K. Chieh, and W. Goeke "A 10-V Josephson voltage standard," *IEEE Trans. Instrum. Meas.*, Vol. 38, pp. 314-316, 1989.
- [5] Y. Murayama, Y. Sakamoto, A. Iwasa, M. Nakanishi, H. Yoshida, U. Klein, and T. Endo "Ten-volt Josephson Junction array," *IEEE Trans. Instrum. Meas.*, vol. IM-44, pp. 219-222, 1995.
- [6] F. L. Hermach, "Thermal converters as ac-dc transfer standards for current and voltage measurements at audio-frequencies," *J. Res. Nat. Bur. Stand.*, vol. 48, pp. 121-138, 1952.
- [7] F. C. Widdis, "The theory of Peltier and Thomson effects in thermal ac-dc transfer devices," *Proc. IEEE*, Monograph 497 M, 1962.
- [8] S. Iwamoto, "Ac/dc thermal converters of the ETL," *IEEE Trans. Instrum. Meas.*, vol. IM-23, pp. 326-328, 1974.
- [9] F. L. Hermach and E. S. Williams, "Thermal converters for audio-frequency voltage measurements of high accuracy," *IEEE Trans. Instrum. Meas.*, vol. IM-15, pp. 260-268, 1966.
- [10] B. D. Inglis and C. Franchimon, "Current-independent ac-dc transfer errors in single-junction thermal converters," *IEEE Trans. Instrum. Meas.*, vol. IM-34, pp. 294-301, 1985.
- [11] B. D. Inglis, "A method for the determination of ac-dc transfer errors in thermoelements," *IEEE Trans. Instrum. Meas.*, vol. IM-27, pp. 440-444, 1978.
- [12] F. J. Wilkins, "Theoretical analysis of the ac-dc transfer difference of NPL multijunction thermal converter over the frequency range dc to 100 kHz," *IEEE Trans. Instrum. Meas.*, vol. IM-21, pp. 334-340, 1972.
- [13] M. Klonz, "Ac-dc transfer difference of the PTB multijunction thermal converter in the frequency range from 10 Hz to 100 kHz," *IEEE Trans. Instrum. Meas.*, vol. IM-36, pp. 320-329, 1987.
- [14] F. L. Hermach, "Multijunction thermal converters as the NBS primary ac-dc transfer standards for ac current and voltage measurements," *IEEE Trans. Instrum. Meas.*, vol. IM-36, pp. 300-306, 1987.
- [15] D. Zhang and Z. Zhang, "Method for reduction of ac-dc transfer error caused by the Thomson effect for the multijunction thermal converter," *IEEE Trans. Instrum. Meas.*, vol. IM-29, pp. 412-415, 1980.
- [16] M. Klonz and T. Weimann, "Accurate thin film multijunction thermal converter on a silicon chip," *IEEE Trans. Instrum. Meas.*, vol. IM-38, pp. 335-337, 1989.
- [17] G. Yonezaki, K. Shida and T. Yamazaki, "A proposal for a multijunction thermal converter," *IEEE Trans. Instrum. Meas.*, vol. IM-38, pp. 338-341, 1989.
- [18] M. Klonz, T. Weimann, F. Volklein, H. Dinter, and A. Lerm, "Ac-dc-mV-transfer with highly sensitive thin-film multijunction thermal converters," *IEEE Trans. Instrum. Meas.*, vol. IM-42, pp. 612-614, 1993.
- [19] J. R. Kinard, D. X. Huang, and D. B. Novotny, "Performance of multilayer thin-film multijunction thermal converters," *IEEE Trans. Instrum. Meas.*, Vol. 44, No. 2, pp. 383-386, 1995.
- [20] D. Matson, "Using a linear thermal transfer standard for high-precision ac/dc transfers," *CPEM'90 Conference digest*, pp. 64-65, 1990.
- [21] N. M. Oldham, P. S. Hetric, and Xiangren Zeng, "A calculable, transportable audio-frequency ac reference standard," *IEEE Trans. Instrum. Meas.*, vol. IM-38, pp. 368-371, 1989.
- [22] R. L. Peterson and N. M. Oldham, "Josephson AC voltmeter," *Journal of Appl. Phys.*, vol. 63, pp. 4804-4810, 1988.
- [23] S. B. Chapman and R. B. D. Knight, "A new ac-dc transfer standard," *CPEM'92 Conference digest*, pp. 328-329, 1992.
- [24] C. A. Hamilton, C. J. Burroughs, and R. L. Kautz, "Josephson D/A converter with fundamental accuracy," *IEEE Trans. Instrum. Meas.*, vol. IM-44, pp. 223-225, 1995.
- [25] M. Klonz, R. Zirpel and B. Stojanovic, "Improving speed and accuracy of ac-dc transfer using a fast reversed dc," *CPEM'90 Conference digest*, pp. 68-69, 1990.
- [26] M. Klonz, R. Zirpel, and B. D. Inglis, "Chasing the ac-dc transfer difference between single-junction and multijunction thermal converters," *CPEM'92 Conference digest*, pp. 54-55, 1992.
- [27] H. Sasaki, K. Takahashi, M. Klonz and T. Endo, "High-precision ac-dc transfer standards at ETL," *IEEE Trans. Instrum. Meas.*, Vol. 42, No. 2, pp. 603-

- 606, 1993
- [28] H. Sasaki, K. Takahashi, M. Klonz, "Development of a Fast-Reversed DC Current Source," CPEM'94 Conference digest, pp. 386-387, 1994.
- [29] M. Klonz, G. Hammond, B. D. Inglis, H. Sasaki, T. Spiegel, B. Stojanovic, K. Takahashi, R. Zirpel, "Measuring Thermoelectric Effects in Thermal Converters with a Fast Reversed DC," IEEE Trans. Instrum. Meas., Vol. 44, No. 2, pp. 379-382, 1995.
- [30] K. Takahashi, H. Sasaki, M. Klonz, and T. Endo, "An accurate ac-dc voltage transfer standard test system using the differential and the dual-channel method," IEEE Trans. Instrum. Meas., vol. IM-42, pp. 630-634, 1993.
- [31] H. Sasaki, K. Takahashi, G. Yonezaki and T. Endo, "A high-precision measurement system for thermal ac-dc transfer standards," Bul. Electrotech. Lab, vol. 57, pp. 105-124, 1993 (in Japanese).
- [32] B. Inglis, "Errors in ac-dc transfer arising from a dc reversal difference," Metrologia, vol. 17, pp. 111-117, 1981.
- [33] H. Levinson, "A computerized model of vacuum thermocouple performance," IEEE Trans. Instrum. Meas., vol. IM-40, pp. 356-365, 1991.
- [34] H. Levinson, B. D. Inglis, J. R. Kinard, and D. E. Stollery, "Improved vacuum thermocouples," CPEM'94 Conference digest, pp. 359-360, 1994.
- [35] G. Yonezaki and T. Yamazaki, "A comparator for thermal ac-dc standard converters," Bul. Electrotech. Lab, vol. 49, pp. 937-946, 1985 (in Japanese).
- [36] G. Yonezaki and T. Yamazaki, "10 mA low frequency ac current standards using single junction type thermal ac-dc transfer converters," Bul. Electrotech. Lab, vol. 50, pp. 752-763, 1986 (in Japanese).
- [37] B. Inglis, "Evaluation of ac-dc transfer errors for thermal converter-multiplier combinations," Metrologia, vol. 16, pp. 177-181, 1980.
- [38] B. P. Van Driehuisen and R. F. Wolffenbuttel, "Integrated micromachined electrostatic true rms-to-dc converter", IEEE Trans. Instrum. Meas., Vol. 44, No. 2, pp. 370-373, 1995.
- [39] F. L. Katzmann and M. Klonz, "Fast thin-film isothermal ac-dc converter with radiometric sensing," IEEE Trans. Instrum. Meas., Vol. 44, No. 2, pp. 391-394, 1995.
- [40] S. P. Benz and C. A. Hamilton, "Pulse-driven programmable Josephson voltage standard," Appl. Phys. Lett., vol. 68, pp. 3171-3173, 1996.
- [41] C. A. Hamilton, S. P. Benz, C. J. Burroughs, and T. J. Harvey, "SNS programmable voltage standard," IEEE Trans. Appl. Superconductivity, Vol. 7, pp 2473-2474, 1997.
- [42] C. A. Hamilton, "Josephson Voltage Standard base on Single-Flux-Quantum voltage multipliers," IEEE Trans. Instrum. Meas., vol. 2, pp. 139-142, 1992.
- [43] V. K. Semenov, "Digital to analog conversion based on processing of the SFQ pulses," IEEE Trans. Appl. Superconductivity, vol. 3, pp. 2637-2640, 1993.
- [44] M. Klonz, "CCE comparison of ac-dc voltage transfer standards at lowest level of uncertainty," IEEE Trans. Instrum. Meas., Vol. 46, No. 2, pp. 342-346, 1997.
- [45] N. Oldham, M. Parker, B. Bell, and S. Avramov-Zamurovic, "Exploring the low frequency performance of thermal converters using circuit models and a digitally synthesized source," IEEE Trans. Instrum. Meas., Vol. 46, No. 2, pp. 352-355, 1997.
- [46] I. Budovsky, "Very low frequency ac-dc transfer standard," IEEE Trans. Instrum. Meas., Vol. 44, No. 2, pp. 367-369, 1995.
- [47] M. Klonz, T. Spiegel, H. Sasaki, K. Takahashi, and B. D. Inglis, "Fast-Reversed DC: Basic reference for ac-dc transfer," CPEM'96 Conference digest, pp. 501-502, 1996.
- [48] H. Sasaki, B. D. Inglis, K. Takahashi, and M. Klonz, "Determination of the time constants of thermoelectric effects in thermal converters using a Fast-Reversed DC," IEEE Trans. Instrum. Meas., Vol. 46, No. 2, pp. 377-381, 1997.
- [49] K. Takahashi, H. Sasaki, B. D. Inglis, and M. Klonz, "AC-DC Voltage Transfer Difference due to Seebeck Effect in Thermal Converters," IEEE Trans. Instrum. Meas., Vol. 48, No. 2, pp.391-394, 1999.
- [50] H. Sasaki, K. Takahashi, B. D. Inglis, and M. Klonz, "A Numerical Simulation of Thermoelectric Effects in Single-junction Thermal Converters," IEEE Trans. Instrum. Meas., Vol. 48, No. 2, pp.408-411, 1999.
- [51] H. Sasaki, M. Maezawa, Q. Wang, M. Koyanagi and A. Shoji, "Fast-Reversed DC source based on Josephson voltage steps," Extended Abstract M48, pp.227-228, ISEC'97, Berlin, 1997.
- [52] C. J. Burroughs, S. P. Benz, C. A. Hamilton, T. E. Harvey, J. R. Kinard, T. E. Lipe and H. Sasaki, "Thermoelectric transfer difference of thermal converters measured with a Josephson source," IEEE Trans. Instrum. Meas., Vol. 48, No. 2, pp.279-281, 1999.
- [53] R. Behr, H. Schulze, F. Mueller, J. Kohlmann, and J. Niemeyer, "Josephson arrays at 70 GHz for conventional and programmable voltage standards," IEEE Trans. Instrum. Meas., Vol. 48, No. 2, pp.270-273, 1999.
- [54] H. Sasaki, S. Kiryu and A. Shoji, Uncertainties in ac voltage measurements using Josephson DA converters, Bulletin of the Electrotechnical Laboratory, vol. 62, pp. 1-11, 1998. (in Japanese)
- [55] H. Sasaki, S. V. Polonsky, S. Kiryu, F. Hirayama, T. Kikuchi, M. Maezawa and A. Shoji, "RSFQ-based D/A converter for AC voltage standard," IEEE Trans. Appl. Superconductivity, Vol. 9, No. 2, pp.3561-3564, 1999.
- [56] F. Hirayama, H. Sasaki, S. Kiryu, M. Maezawa, T. Kikuchi and A. Shoji, "RSFQ-Based D/A Converter

- for Precise-Measurement Applications,” submitted to the 4th European Conference on Applied Superconductivity (EuCAS-99), 1999.
- [57] H. Sasaki, V. Bubanja, S. Kiryu, F. Hirayama, M. Maezawa and A. Shoji, “Evaluation of ac-dc Difference of Thermal Converters using an SFQ-based D/A Converter,” submitted to the CPEM2000 Conference Digest, 2000.
- [58] C. J. Burroughs, S. P. Benz, T. E. Harvey and H. Sasaki, “1 Volt Josephson Fast-Reversed DC Source,” submitted to the CPEM2000 Conference Digest, 2000.
- [59] H. Sasaki and K. Takahashi, “A guide for the evaluation of thermoelectric effects in thermal converters using KST003 Fast-Reversed DC source,” ETL technical report, TR-96-22, 1996.
- [60] M. Klonz, “Entwicklung von Vielfachthermokonvertern zur genauen Rückführung von Wechselgrößen auf äquivalente Gleichgrößen,” Masters thesis, Technische Universität Braunschweig, Germany, 1987; also PTB-Berich, Rep. PTB-E-29, März 1987.